



URJA ENTERPRISE

AN INDUSTRIAL ELECTRICAL HOUSE



PRODUCT OVERVIEW

INDUSTRIAL ELECTRICAL PRODUCT SUPPLIER


About us :

“URJA ENTERPRISE” is a name known for quality flameproof products, timely deliveries and prompt after sales service, which was founded by Mr. Dineshbhai Patel in the year 2004, a well-known Distributor of flameproof equipment in India.

We ‘URJA ENTERPRISE’ are professional Trader, Wholesaler and Distributor based in Asia’s largest G.I.D.C (Gujarat Industrial Development Corporation) Ankleshwar. we are dealing in Flameproof & Weatherproof electrical equipment, Brass & SS Cable Glands, flexible & Armoured Cable, PVC Shrouds, Instrument Products, Cable jointing kits, Earthing Materials, Cable Trays and much more used in industrial Electrical Projects Works.

We maintain Adequate Stock at multiple strategic Locations to Cater the Customers small and big Requirements, ensure timely Deliveries, Best-in-class After-Sales service and Support with computerized Data Management for effective Communication.

All the above parameters help us to move towards a sustainable future relationship with our Customers.



Vision

Our Vision to resolute and cater for the needs of our clients adapting to become India’s Leading Supplier of Industrial Electrical Products.



Mission

URJA ENTERPRISE began its journey with a motto to achieve Customer Satisfaction With “Beyond Expectation “ with hassle-free product maintenance.

Cable Glands & Accessories:



FLP Brass Nickel Plated Cable Glands

Gas Group: I, IIA, IIB & IIC.
Size: 19mm to 100mm.
Metric: M20 to 130.
NPT: 1/2" to 5". ET: 1/2" to 6".



S.S-304 & S.S-316 Cable Glands

Gas Group: I, IIA, IIB & IIC.
Size: 19mm to 100mm.
Metric: M20 to 130.
NPT: 1/2" to 5".
ET: 1/2" to 6".



WP Brass Nickel Plated Cable Glands

Size: 19mm to 100mm.
NPT: 1/2" to 5".
ET: 1/2" to 6".



FLP Brass, GI, SS Stopping Plug

Gas Group: I, IIA & IIB.
Metric: M20 to 130.
NPT: 1/2" to 5".
ET: 1/2" to 6".



FLP Brass & S.S Reducer

Gas Group: I, IIA & IIB.
Available in Metric to Metric, Metric to ET, and
ET to ET.



PVC Shrouds

For Cable Gland 1/2" to 4".
Size: 12mm to 90mm.



Lugs

Available in Copper & Aluminum
Insulated & without Insulated
Ring Type, Pin Type, Fork Type, Flat
Type, Reducer Pin Type ect...

Flameproof & Weatherproof Products:



FLP LED 3 Cell Torch
Light Output: 50 Lumens
Intrinsically safe, Division 1 & 2, IP67
Class I, II, III. Groups A-G
Operating Temp T5



FLP LED Rechargeable Torch
Cree LED 10w, 6800mAh
Rechargeable Battery-26650
Ex-d , Zone- 1 & 2, IP66
Gas Group IIA,IIB & IIC.
ATEX Certified



FLP Telephone
Gas Group IIA,IIB. IP-65
ATEX Certified



FLP Mobile
ATEX, IECEx, CSA, EAC Ex
Certified.
Available in Keypad & Touch,
with camera & without camera.



FLP Speaker
Gas Group IIC, IP-65, T6
30watts, 15.5volts



FLP Push Button Stations
Available in start-stop, only
stop, only indicator, reverse-
forward & stop, ect.



FLP Switch Socket
Rating: 16A 3PIN, 25A 4PIN,
32A 5PIN, 63A 5PIN.



FLP DOL Starter
Rating: 3HP, 5HP,7.5HP, 10HP,
15HP, 20HP.



FLP Rotary Switches
Rating: 16A DP, 25A TP, 32A TP



FLP Temperature Indicator
Rating: 10A, 440v AC
Range: 0-200°C & 0-400°C.



FLP Built in Transformer
Gas Group IIC, IP-66, T6
Rating: 16A 24V AC



FLP Limit Switches
Rating: 10A 440V AC
Available in Adjustable Type,
Roller Type, Top Push Roller
Type, ect.

Flameproof & Weatherproof Products:



FLP Manual Call Point [Fire Alarm]
Rating: 10A 440V AC



FLP Hooter
Rating: 230v AC, 24v DC
Available in Re-Set Type Hooter



FLP Junction Boxes
Size: 100Ø, 150Ø, 200Ø, 250Ø, 300Ø, 350Ø, 400Ø, 450Ø, 500Ø.
Available in Round, Square & Rectangle Type JB



FLP Control Junction Box
Customized Control JB With Glass Window



FLP Exhaust Fan
Rating: 230V / 440V AC
Size: 12"/16"/18"/24"/30"



FLP Wall Mounting Fan
Rating: 230V / 440V AC
Size: 18"/24"/30"



FLP Pedestal Fan
Rating: 230V / 440V AC
Size: 18"/24"/30"



FLP/WP Well Glass Light
Rating: 30w/45w/60w



FLP LED Flood Light
Rating: 30w/45w/100w/120w/150w/200w/250w/300w.



FLP R V Lamp & Hand Lamp
Rating: Upto 20w LED Type & Holder Type
Available with Switch & Timer.
Hand Lamp 160w GLS/ 15w LED



FLP Aviation light
Rating: 110v / 230v AC



FLP Bulkhead Light
Rating: Upto 45W
Available in Clean Room Area Fittings.

Flameproof & Weatherproof Products:



FLP Panel

As Per Requirement We
Manufacturing Machine
Monitoring Control Panel.



FLP Tubelight

2 feet LED 20W TL
4 feet 36w/40w TL
Available in Single Rod Type &
Double Rod Type.



WP LED Flood Light

Rating: 45w/60w/72w/80w/90w/
100w/120w/150w/180w/200w



FRP Canopy For Control Station & Motor



Accessories

Switch Socket Flap Cover, Only Top,
Limit Switch Roller & SS Push Roller,
Push Button & Elements, LED COB
Chip & Driver ect...



Industrial (wp) Hooter With Flashing light

Sound Out Put: SPL at 1KHz
110Db



Flameproof Hooter With Flashing light

Sound Out Put: SPL at 1KHz
110Db



Flameproof Hooter With Flashing Light With Acknowledge Button

Sound Out Put: SPL at 1KHz 110Db



Gang / Work Site Hooter With Flashing Light Remote Control Operated



WP Pressure Switch

Pressure Range: High Range Up to
400 bar



WP Differential Pressure Switch (HP-LP)

Pressure Range: Up to 25 bar



FLP Differential Pressure Switch (HP-LP)

Pressure Range: Up to 25 bar

Flameproof & Weatherproof Products:



FLP Pressure Switch

Pressure Range: High Range Up to 400 bar with Flush diaphragm seal, SS Sensor and SS Diaphragm



Flameproof Pressure Indicating Switch



Flameproof Vibration Switch Vibration Monitoring Switch



FLP Dual Set Point Pressure Switch

Pressure Range : Up to 40 bar



FLP & WP Industrial Adjustable Differential Pressure Switch

Pressure Range : -1 to 30 bar



FLP & WP Pressure Transmitter

Pressure Range: -1 to 400 bar



Flameproof & Weatherproof Digital Pressure Switch



WP RTD Sensor & Thermo Couple - Simplex/ Duplex WP Temperature Transmitter

Temperature Range: 0 to 400/Deg.C



FLP Temperature Sensor with Flanged Thermowell



Diaphragm Seal Valve Manifold

(2 way, 3 way, 5 way)



Flameproof Magnetic Top Mount Level Switch

Suitable To Sense Liquid Level



FLP & WP High Temp./Magnetic/Miniature Side Mount & Top Mount Level Switch Ultra Sonic Level Transmitter

Flameproof & Weatherproof Products:



**Level Gauge Magnetic, Reflex,
Glass tube**



**Smart Flameproof Static
Grounding Relay Capacitance
+ Resistive Type**



**Flameproof Temperature
Sensore With Indication**



**FLP Human Body Static
Dissipator**



**FLP Digital Clock
(Sec. / Min. / Hour)**



**FLP Smoke Detector / Fire
Detector**



**FLP Industrial Double Inlet
Centrifugal Blower**



**FLP Industrial Portable Belt
Driven Fan
Size:- 36", 42", 48".**



**FLP LED Emergency Exit
with Path Light Upto 40w**



**Flameproof LED Emergency
Light
Ceiling Mount & Portable Light
UP TO 40W**



Flameproof Flow switch



**Hydraulic (600 bar)/ gas (100
bar) / Miniature Pressure
Switch**

Cables & Cable Trays:



Flexible Cables



Armoured Cables



Cable Tray

Material: FRP/ Aluminum/ MS/ SS.

Finish: Hot Dip Galvanized, Powder Coating, Epoxy Coated and Enamel Painted.

Standard Width: 50mm, 100mm, 150mm, 300mm, 450mm, 600mm.

Standard Length: 2500mm.

Earthing Materials & Rubber Mats:



G.I Hot Deep Streep

Size: 25x3, 25x6, 32x6, 40x6, 50x6, 75x8, 100x10.

As Per IS 65/86 micron.



Copper Earthing Strip & Electrode


Busbar, Strip, Wire, Earthing Plate, Flexible Braided, Sheet, Rod, Pipe, Arrester Available in All Size.



Earthing Chamber & Chemical Earthing Bags

Size: 12"x12", 18"x18", 24"x18", 24"x24".

Hinges with Lock & Plane.



Insulating Rubber Mat

Thickness & kV: 2mm(3.3kV), 2.5mm(11kV), 3mm(33kV).

BIS Certified As Per IS 15652

WHY TO CHOOSE US?

Choose us for Quality And Expertise In Industrial Electrical Products.



CERTIFICATION



Udyog Aadhaar



Urja Enterprise is **Trusted** by following Companies





URJA ENTERPRISE
AN INDUSTRIAL ELECTRICAL HOUSE

 Plot No.- 321/5, Beside Asian Trade Center, Near Asian Paint Chokdi, G.I.D.C., Ankleshwar-393002

 +91 9537080805

 urja@urjaent.com

 www.urjaent.com